Company Introduction

Foshan Dynamipod Technology Co. , Ltd. is a professional manufacturer specializing in the R & D, production and sales of sound-proof cabin series products, focusing on over 16 years of office space design and construction, accumulated professional office series, partition series of product manufacturing experience, developed a new generation of acoustic cabin products, with a complete scientific quality manage-ment system. The sound insulation module integrates many functions, and has all kinds of patented technology, the appearance is simple and stylish, the vivid imitation of the shape design of the space capsule, making the whole cabin full of scientific and technological sense. The first dimming glass series products, acoustic four-layer sound insulation and shock absorption, sandwich structure wall panels and other appearance and function of a variety of products. Our company adheres to the customer service first, provides more high quality service for the general customer, and creates the greater value for the society at home and abroad. Our products has been sold to many countries and earned good reputation from customers.

Foshan Dynamipod Technology Co.,Ltd
Factory address: No.7 Lianbiao Liucun Industrial Zone,Songgang Town,Nanhai District, Foshan City, Guangdong Province, China
Post code: 528225
Call us : +86 15814005309
E-mail: info@dynamipod.com ;
WhatsApp/ Skype account:+ 86 15814005309





COOPERATIVE
PARTNER 合作伙伴

LONGi　小鹏汽车　Dnmbox　安信基金 ESSENCE FUND　H&M
Midea　深圳建科院　劳斯莱斯（苏州）　liby立白　TCL

Silence Booth

Modular patent structure,
2 hours fast assembly

Dynamipod provides you a private and comfortable place to do your creative works.

Our booth structure consists of supporting frame made from aerospace-grade aluminum panels,

The wall is acoustically four layers of sound insulation and vibration reduction, sandwich structure wallboard and double-sided sound insulation glasses, which application you can find in high speed rail train.

Acoustic PET panel for interior wall and ceiling, and nylon carpet on the floor, which reaches the acoustic environment request, in order to simplify the assembly process, we only use few accessories of fastener.

The air in the booth is fully circulated in every three minutes, equipped with 4000K natural color lighting 12V-USB power suply and power rated for 100-220V/50Hz

Powder coated for frame and board whithout color difference, the frame and board are made of aluminum. In addition to the advantages of fireproofing, the frae and board can be treated with the same surface treatment without color difference.

products specifications:





Sound Insulation

Our booth is made of double layer aluminum honeycomb panel. The surface of the aluminum plate is pasted with high-density damping sound insulation felt to meet the requirements of sound insulation. The interior decoration is matched with acoustic materials to meet the requirements of acoustic environment. Design value; Rw+Ctr35db(+5db) and RT0.25s(+0.1s).



Ventilation

We made a multiple sound barrier for the ventilation tunnel to lower the noise of ventilation fan, meanwhile, the sound barrier can also reduce much of the sound transmission. The air in the booth can be circulated in 2-3minutes, to ensure it won't be stuffy in the booth.



Lighting

Equipped with 4000K daylight color temperature LED lighting systsem 150LX, it would satisfy the needs of normal activities. in the event of additional power requirements, a backup power supply is readily installed inside the booth.



100-240V Power

Our booth is equipped with 12V-USB power supply and power rated for 100-240V/50-60Hz,

complying with common equuipment requirements, The three control switches control one lamp and two exhaust fans, respectively.





Aluminum sound Insulation





Ceiling sound absorption components



Floor anti-vibration and A anti-damping components



Aluminum profile frame structure



Aluminum Alloy door lock

The lock adopts high quality zinc alloy material, beautiful look, strong corrosion resistance. The core of the lock is made of copper lock core, safe and wear-resistant, with strong flexibility, which can fully meet the daily use needs.



Hook and loop fasteners

Magic tape band is used for the back side installation of acoustic materials.It is environmentally friendly and odourless,comply with European ROHS standard.
Stable and fast installation facilitates repeated used in the future.
The material and application design of magic tape has successfully constructed a model which is easy to disassemble and assemble several times.



Sound insulation tempered glass

Our booth adopts train type sound insulation tempered glass, which meets the requirements of sound insulation and meets the safety and stability of installation and use.



Nylon Carpet

We use custom-made nylon carpet,which only needs one piece of carpet for a booth. The embedded installation method ensures the level of the booth floor and is not easy to slide. At the same time,nylon carpet has good sound absorption performance,which can meets our requirements for acoustic design.





Product Model
Silence Booth S

Booth facilities

100-240V / 50-60Hz power supply.
4000K / 1600Lsx natural lighting system.
Positive pressure ventilation system.
Motion sensor and switch control for light and fan.

Furniture options

Enhanced sound insulation

Dimensions

External size: W972xD1010xH2272mm
Internal size: W840xD900xH2140mm

新风 Ventilation · E0 环保 Zero emission · 抗菌 Anti-bacteria · 隔音 Sound Insulation · 防水 Waterproof · 阻燃 Fireproof

类 Type	S	M	L	XL
测量方式 Measurement Method	中断声 Interrupted Noise		脉冲声 Impulse Noise	
噪音源类 Noise Seurece Type	白噪 White	粉噪 Pink		
背景噪音 Background Noise Level	42.25dBA			
125Hz	0.18	0.20	0.21	
160Hz	0.34	0.33	0.35	
200Hz	0.26	0.24	0.20	
250Hz	0.24	0.24	0.24	
315Hz	0.20	0.21	0.23	
400Hz	0.17	0.17	0.16	
500Hz	0.15	0.16	0.14	
630Hz	0.13	0.13	0.12	
800Hz	0.06	0.06	0.07	
1000Hz	0.06	0.07	0.05	
1250Hz	0.05	0.06	0.06	
1600Hz	0.04	0.03	0.03	
2000Hz	0.05	0.07	0.06	
2500Hz	0.06	0.05	0.05	
3150Hz	0.08	0.06	0.07	
混响时间RT(s) 100Hz~500Hz	0.22			
混响时间RT(s) 500Hz~2000Hz	0.08			
混响时间RT(s) 2000Hz~3150Hz	0.06			



混响测试 Reverberation time test



语言清晰度 Speech intelligibility



频率响应 Frequency response







Product Model
Silence Booth M

Booth facilities

100-240V / 50-60Hz power supply.
4000K / 1600Lsx natural lighting system.
Positive pressure ventilation system.
Motion sensor and switch control for light and fan.

Furniture options

Enhanced sound insulation

Dimensions

External size: W1472xD1310xH2272mm
Internal size: W1340xD1200xH2140mm

新风 Ventilation · E0 环保 Zero emission · 抗菌 Anti-bacteria · 隔音 Sound Insulation · 防水 Waterproof · 阻燃 Fireproof

类 Type	S	M	L	XL
测量方式 Measurement Method	中断声 Interrupted Noise		脉冲声 Impulse Noise	
噪音源类 Noise Seurece Type	白噪 White	粉噪 Pink		
背景噪音 Background Noise Level	42.25dBA			
测试数据 Messurement Date	1`RT(S)	2`RT(S)	3`RT(S)	
100Hz	0.22	0.25	0.28	
125Hz	0.25	0.26	0.25	
160Hz	0.36	0.33	0.35	
200Hz	0.33	0.34	0.32	
250Hz	0.33	0.32	0.29	
315Hz	0.31	0.29	0.28	
400Hz	0.16	0.19	0.19	
500Hz	0.13	0.13	0.14	
630Hz	0.10	0.11	0.11	
800Hz	0.11	0.09	0.11	
1000Hz	0.09	0.10	0.09	
1250Hz	0.07	0.06	0.08	
1600Hz	0.09	0.07	0.09	
2000Hz	0.11	0.12	0.08	
2500Hz	0.16	0.16	0.15	
3150Hz	0.16	0.14	0.13	
混响时间RT(s) 100Hz~500Hz	0.26			
混响时间RT(s) 500Hz~2000Hz	0.10			
混响时间RT(s) 2000Hz~3150Hz	0.14			



混响测试 Reverberation time test



语言清晰度 Speech intelligibility



频率响应 Frequency response







Product Model
Silence Booth L

Booth facilities

100-240V / 50-60Hz power supply.
4000K / 1600Lsx natural lighting system.
Positive pressure ventilation system.
Motion sensor and switch control for light and fan.

Furniture options
Enhanced sound insulation

Dimensions
External size: W2172xD1610xH2272mm
Internal size: W2040xD1500xH2140mm

类 Type		S	M	L	XL
测量方式 Measurement Method		中断声 Interrupted Noise		脉冲声 Impulse Noise	
噪音源类 Noise Seurece Type		白噪 White	粉噪 Pink		
背景噪音 Background Noise Level		42.25dBA			
125Hz		0.69	0.69	0.68	
160Hz		0.30	0.32	0.35	
200Hz		0.21	0.20	0.19	
250Hz		0.24	0.21	0.24	
315Hz		0.26	0.25	0.26	
400Hz		0.15	0.15	0.14	
500Hz		0.24	0.22	0.23	
630Hz		0.13	0.12	0.09	
800Hz		0.14	0.12	0.14	
1000Hz		0.12	0.12	0.13	
1250Hz		0.18	0.16	0.16	
1600Hz		0.21	0.22	0.24	
2000Hz		0.36	0.35	0.36	
2500Hz		0.36	0.34	0.32	
3150Hz		0.41	0.42	0.40	
混响时间RT(s)	100Hz~500Hz	0.29			
	500Hz~2000Hz	0.19			
	2000Hz~3150Hz	0.37			



混响测试 Reverberation time test



语言清晰度 Speech intelligibility



频率响应 Frequency response



新风 Ventilation
环保 Zero emission
抗菌 Anti-bacteria
隔音 Sound Insulation
防水 Waterproof
阻燃 Fireproof





Product Model
Silence Booth XL

Booth facilities

100-240V / 50-60Hz power supply.
4000K / 1600Lsx natural lighting system.
Positive pressure ventilation system.
Motion sensor and switch control for light and fan.

Furniture options
Enhanced sound insulation

Dimensions
External size: W2172xD2210xH2272mm
Internal size: W2040xD2100xH2140mm

类 Type		S	M	L	XL
测量方式 Measurement Method		中断声 Interrupted Noise		脉冲声 Impulse Noise	
噪音源类 Noise Seurece Type		白噪 White	粉噪 Pink		
背景噪音 Background Noise Level		42.25dBA			
100Hz		2.9	2.95	2.88	
125Hz		2.83	2.83	2.73	
160Hz		1.64	1.7	1.64	
200Hz		0.58	0.55	0.56	
250Hz		2.38	2.24	2.38	
315Hz		1.04	0.98	1.04	
400Hz		0.69	0.69	0.73	
500Hz		0.88	0.88	0.88	
630Hz		0.31	0.31	0.31	
800Hz		0.44	0.44	0.44	
1000Hz		0.16	0.15	0.16	
1250Hz		0.13	0.13	0.13	
1600Hz		0.12	0.12	0.12	
2000Hz		0.11	0.1	0.12	
2500Hz		0.1	0.1	0.11	
3150Hz		0.1	0.1	0.09	
混响时间RT(s)	100Hz~500Hz	1.62			
	500Hz~2000Hz	0.31			
	2000Hz~3150Hz	0.10			



混响测试 Reverberation time test



语言清晰度 Speech intelligibility



频率响应 Frequency response



新风 Ventilation
环保 Zero emission
抗菌 Anti-bacteria
隔音 Sound Insulation
防水 Waterproof
阻燃 Fireproof

Meeting Pod XXL







Type		S	M	L	XL
Measurement Method		Interrupted Noise		Impulse Noise	
Noise Seurece Type		White	Pink		
Background Noise Level		42.25dBA			
Messurement Date		1`RT(S)	2`RT(S)	3`RT(S)	
100Hz		0.71	0.71	0.69	
125Hz		0.69	0.69	0.68	
160Hz		0.30	0.32	0.35	
200Hz		0.21	0.20	0.19	
250Hz		0.24	0.21	0.24	
315Hz		0.26	0.25	0.26	
400Hz		0.15	0.15	0.14	
500Hz		0.24	0.22	0.23	
630Hz		0.13	0.12	0.09	
800Hz		0.14	0.12	0.14	
1000Hz		0.12	0.12	0.13	
1250Hz		0.18	0.16	0.16	
1600Hz		0.21	0.22	0.24	
2000Hz		0.36	0.35	0.36	
2500Hz		0.36	0.34	0.32	
3150Hz		0.41	0.42	0.40	
RT(s)	100Hz-500Hz	0.29			
	500Hz-2000Hz	0.19			
	2000Hz-3150Hz	0.37			



Reverberation time test



Speech intelligibility



Frequency response



Product Model

Silence Booth XXL

Booth facilities

100-240V / 50-60Hz power supply.
4000K / 1600Lsx natural lighting system.
Positive pressure ventilation system.
Motion sensor and switch control for light and fan.

Furniture options

Enhanced sound insulation

Dimensions

External size: W4200xD2600xH2272mm
Internal size: W4068xD2490xH2140mm

新风
Ventilation

环保
Zero emission

抗菌
Anti-bacteria

隔音
Sound Insulation

防水
Waterproof

阻燃
Fireproof

S size

Telephone booth/Single Studio/Working Station Room/Violin Room/Singing Room



External Size：W972×D1010×H2272mm　　Internal Size：W840×D900×H2140mm

Seating Capacity：1-person　　Frame Material：T6061 die-casting aluminum

Structure Feature:Modular Repeated Dismantle

Single cabin is widely used in telephone booth, Violin Room, music room and other private soundproof space, effectively resisting the interference of external noise, but also to prevent internal sound to the outside world, ensure each other work efficiency is not affected.

ventilation　Zero emission　Anti-bacteria　Sound Insulation　Waterproof　fireproof

Color Options as below

Outlook of the soundproof cube

Sound-absorbing Cotton color options as below

Office Pod **M size**

Telephone booth/broadcast room/work & study room/Reading room/Home office



External Size：W1472×D1310×H2272 mm Internal Size：W1340×D1200×H2140mm

Seating Capacity: 2-person

Frame Material：T6061 Die-casting aluminum

Structure Feature:Modular Repeated Dismantle

The modular multi-layer sound insulation scheme greatly improves the sound insulation performance of the cabin. The cabin is equipped with high efficiency fresh air system to ensure fresh and comfortable air in the cabin which make user feel more pleasant and pays more attention to user experience.

Ventilation | Zero emission | Anti-bacteria | Sound Insulation | Waterproof | Fireproof

Color Options

Cabin surface color

Decoration color

Office Pod L size

Broadcast room/office/conference room/interview room/ musical instrument room/home office room

External Size：W2172×D1610×H2272mm Internal Size：W2040×D1500×H2140mm

Seating Capacity： 4-person

Frame Material： T6061 Die-casing Aluminum

Structure Feature: Modular Repeated Dismantle



Studies show that in daily work, about 80% of small meetings are made up of two to six people, and it would be too much to use a large conference roomIn the empty space, it is difficult for participants to enter the state. As an independent soundproof space, soundproof barn can solve these problems well and improve the efficiency of the meeting.

Ventilation Zero emission Anti-bacteria Sound Insulation Waterproof Fireproof

Color Options

Cabin Surface

Internal Decoration

Office Pod XL size

Broadcast room/office/conference room/interview room/ musical instrument room/home office room



External Size：W2172×D2210×H2272mm Internal Size：W2040×D2100×H2140mm

Seating Capacity：6-person Frame Material:T6061 Die-casting aluminum

Structure Feature:Modular Repeated Dismantle

The spacious and comfortable independent space can meet the needs of live broadcasting, office, conference, leisure, Musical Instruments and so on, and truly achieve multi -purpose warehouse. Modular Assembly mode, can adapt to a variety of different scene size and meet the user's use requirements.

Ventilation Zero emission Anti-bacteria Sound Insulation Waterproof Fireproof

Color Option

Cabin Surface

Internal Decoration

S size

Telephone booth/single studio/working study
Room/violin room/singing room



External Size:W1028×D1170×H2272mm Internal Size：W840×D1000×H2202mm

Structure Feature：Modular Repeated Dismantle

Single cabin is widely used in telephone booth, Violin Room, music room and other private soundproof space, effectively resisting the interference of external noise, but also preventing internal sound to the outside world, ensuring each other work efficiency.

Ventilation Zero emission Anti-bacteria Sound Insulation Waterproof Fireproof

Color Option

Cabin Surface

Internal Decoration



M size

Telephone booth/broadcast room/work & study room/Reading room/Home office



External Size：W1500×D1200×H2272mm　　Internal Size：W1330×D1030×H2202mm

Seating Capacity：2-person　　Main Material：Aluminum Alloy

Structure Feature：Modular Repeated Dismantle

The modular multi-layer sound insulation scheme greatly improves the sound insulation performance of the cabin. The cabin is equipped with high efficiency fresh air system to ensure fresh and comfortable air in the cabin and follows user habits and pays more attention to user experience.

Ventilation　Zero emission　Anti-bacteria　Sound Insulation　Waterproof　Fireproof

Color Option

Cabin Surface

Internal Decoration



L size

Broadcast room/office/conference room/interview room/ musical instrument room/home office room

External Size:W2172×D1610×H2272mm Internal Size：W2002×D1440×H2202mm

Seating Capacity：4-person Main Material:Aluminum Alloy

Structure Feature：Modular Repeated Dismantle



Studies show that in daily work, about 80% of small meetings are made up of two to six people, and it would be too much to use a large conference roomIn the empty space, it is difficult for participants to enter the state. As an independent soundproof space, soundproof barn can solve these problems well and improve the efficiency

Ventilation Zero emission Anti-bacteria Sound Insulation Waterproof Fireproof

Color Option

Cabin Surface

Internal Decoration



XL size

Broadcast room/office/conference room/interview room/ musical instrument room/home office room/sleeping cabin

External Size：W2172×D2210×H2272mm　　Internal Size：W2002×D2040×H2202mm

Seating Capacity：6-person　　Main Material: Aluminum Alloy Profile

Structure Feature: Modular Repeated Dismantle



The spacious and comfortable independent space can meet the needs of live broadcasting, office, conference, leisure, Musical Instruments and so on, and truly achieve multi-purpose warehouse. The Modular Assembly mode can adapt to a variety of different scene and meet the user's requirements.

Ventilation　Zero emission　Anti-bacteria　Sound Insulation　Waterproof　Fireproof

Color Option

Cabin Surface

Internal Decoration





Phone Booth

In open-office environment,a private and soundproof phone booth is indispensable,but this problem has not been solved.
Imagine during the communication with customers, the background noise might be the bad experience to the customers?
Are you worried that your phone call may affect your colleagues?



Education Training

Our Silence Booth can meets the volume demand of one-on-one education and block the external interference factors, which is more conducive to students' concentration. Even if reading aloud,it will not affect other people.



Meeting Pod

There's only one conference room in most companies,which can not meet the requirements of two meetings at the same time.Most of the time,a 2- 6 persons group meeting only requires a small space for internal meetings and negotiating with customers.
Our Soundproof Pod can perfectly solve this demand and improve the efficiency of the meetings.





Music Instruments Practicing

It has always been a headache that you may disturb your neighbours when you practice music instruments.
Our Silent Pod can be an instrument training room with good sound insulation.
It can solves the noise problem of musical instruments and has an acoustic environment conducive to the performance of musical instruments.

Study Room

A quiet and exclusive space is a necessary for study.Our Silence Booth provides a quiet reading space for home life.



Solo Office

Nowadays,office rent is high,and it is the extravagant hope of white-collar workers to have independent and private office space.
As an casual office,our office pod can be placed at will without decoration concerns.





Drum Kit Room

Drums, unlike guitars, do not have rough handles, so they are a favorite of many people. In times of great stress, play a song that not only relieves boredom, but also puts one in a good mood. but at home, due to the noise between the layers, a sound-proof cabin is able to solve the problem.



Workshop

In a noisy workshop,workers can't even hear each other clearly,let alone answering the phone and discussing.

They need to go out of the workshop for communication,which not only wastes working time,but also bring s much inconvenience to employees.

A Soundproof cabin can solve all these problems.



Temporary Office

I believe that most people have such experience,when you were waiting in the airport or station,you needed a temporary office with stable network and printing equipment.

Our Silence Booth not only creates private space,but also can be equippedwith network,charging and printing equipment to be your temporary office.



Recording Studio

Recording studio is the production workshop of music,which requires high sound insulation and acoustic environment. Our Soundproof Booth can isolate the background noise.

At the same time,the interior wall and ceiling acoustic panels creates a suitable acoustic environment.



Livestreaming

Internet live broadcasting is more and more popular.
The privacy and sound insulation properties of our Silence Booth makes it a perfect live broadcasting room.



Team Room

Does the noise in the office interfere with work efficiency?
The average employee loses 87 minutes a day due to distraction, making it difficult to concentrate in such an environment,A soundproof cabin can solve your noise problem.



School Reading Area

In the public reading area, a quiet and independent reading space allows students to have a better reading experience.

Work Studio

A quiet, private space allows you to get down to business. All you have to do is step in here, close the door, and you can get back to work, Give office workers a quiet place to stay. Whether answering a call temporarily or working with a supervisor, it offers absolute sound insulation and privacy.









School Of Music Studio

Soundproof cabin can block the external interference factors, be more conducive to students focus, and enjoy the levels of sound, but also eliminate the noise disturbance, enjoy fully from the music.

Negotiation Room

In work, sometimes need to discuss the work with the team, usually two or three people have a small meeting, two or three people occupy dozens of people in the conference room and a bit of a waste of resources, a soundproof cabin can be a good solution to your job negotiation needs.

Piano Room

With a sound proof cabin, you can immerse yourself in your own music space, enjoy the release of their own, flexible quiet space area, do not have to worry about the sound impact on others.



Sleep Chamber

A quiet environment is essential for a quality sleep experience. Sleep Chamber is a special for people to improve the quality of sleep, it can reduce the noise from neighbour, road , airport, construction spots. It takes one or two hours to assemble, more convenient than sound insulation decoration, while supporting multiple disassembly, random relocation, quite cost-effective.

Projects:

1.Meeting Pod



Meeting Pod XXL size：W4200*D2600*H2272mm



XL：W2172*D2210*H2272mm



L size：W2172*D1610*H2272mm



L size：W2172*D1610*H2272mm



L size：W2172*D2210*H2272mm



L size：W2172*D1610*H2272r



L size：W2172*D1610*H2272mm

2.Livestreaming



XXL size： W4200*D2600*H2272mm



L size： W2172*D1610 * H2272mm



XL size: W2172*D1610*H2272mm

3. MusicRoom



XL size： W2172*D2210*H2272mm



L size: W2172*D1610 * H2272mm



L size: W2172*D1610~H2272mm

Project

4. Work Office



M size：W1472~D1310°H2272mm



M size： W1472*D1310 ° H2272mm



M size：W1500'D1200 ° H2272mm



M size： W1500 ° D1200" H2272mm



Study Room M Size
W1472*D1310*H2272mm



M size： W1472*D1310*H2272mm



M size： W1472*D1310*H2272mm



M size： W1472*D1310*H2272mm L size： W2172*D1610*H2272mm

Project

5. Phone Booth



S size：W972*D1010*H2272mm



S size：W972*D1010*H2272mm



S size：W1028*D1170*H2272mm



S size：W972*D1010 ° H2272mm



S size：W972*D1010*H2272mm



S size：W1028*D1170*H2272mm



S size：W1028*D1170*H2272mm



S size：W1028*D1170*H2272mm

5.Telephone Pod



S size： W1028*D1170*H2272mm



S size： W1028*D1170*H2272mm



L：W2172*D1610*H2272mm



S size：W1028*D1170*H2272mm