

DYNAMI

COMPANY SERVICE

We provide OEM/ODM service and sample customization. Our products are diverse in design and come with a 3-year warranty and quality and safety guarantee. We also provide free shooting of product pictures or videos, and so on.

Foshan Dynamipod Technology Co., Ltd
Sales Manager:Kelly Chen
Mobile/Whatsapp: +86-15814005309
E-mail: sales@dynamipod.com/ info@dynamipod.com
Website: www.dynamipod.com
Address: No.7 Lianbiao Liucun Industrial Zone, Songgang Town, Nanhai District, Foshan City, Guangdong Province, China

Lance

兰斯尽显男士风彩

The Continuation Of Classics







MODEL : 836-19



MODEL : 1636-19



Feeling the Rare

ARBITRARINESS AND NOBILITY

Elegance and fashion harmonious coexist, exquisite and luxury freely demonstrate; superb nobility is represented in different space angles to feel the graceful manner of top quality, and the classic meaning.





MODEL : 636-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
836-19	21.7	A	89x60x68x30x18	0.195	0.275	1/2	17.0
		B	65x20x65	0.08			9.0
636-19	20.5	A	68x60x68x30x18	0.17	0.25	1/2	15.5
		B	65x20x65	0.08			9.0
1636-19	15.4	A	68x60x68x30x18	0.17	0.28	1/2	15.5
		B	54x52x39	0.11			2.5





MODEL : 836F-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
836F-19	16.7	A	68x60x68x30x18	0.17	0.237	1/2	15.5
		B	65X15X69	0.067			6.0





MODEL : DS302T

Upright
AND GENEROUS

Graceful and streamlined shape overflows striking beauty, recurring the perfect combination of technology and aesthetics, superior comfort and multiple functionality, gives the user kind of leisurely feeling and thus double the passion for work.

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
DS302T	9.7	A	60x60x530	0.067	0.067	1/1	12.0







MODEL : 836-19





MODEL : 636-19





MODEL : 1636-19



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
836-19	21.7	A	89x60x68x30x18	0.195	0.275	1/2	17.0
		B	65x20x65	0.08			9.0
636-19	20.5	A	68x60x68x30x18	0.17	0.25	1/2	15.5
		B	65x20x65	0.08			9.0
1636-19	15.4	A	68x60x68x30x18	0.17	0.28	1/2	15.5
		B	54x52x39	0.11			2.5





MODEL : 636F-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
636F-19	16.7	A	68x60x68x30x18	0.17	0.237	1/2	15.5
		B	65x15x69	0.067			6.0







MODEL : DS301T

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
DS301T	9.7	A	65x15x69	0.067	0.067	1/1	12.0

DIGNIFIED TEMPERAMENT

When completely new modern materials meet the simple designs of post-modern aesthetics, the natural noble temperament makes all those who love high-tech materials badly clinging to it.



MODEL :848-19 MODEL :848T-19







MODEL :848T-19 MODEL :848-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
848-19	22.5	A	89x60x80x29x29	0.302	0.369	1/1	18.0
		B	65x15x69	0.067			9.0
848T-19	7.5	A	65x20x65	0.085	0.085	1/2	9.0


Tamara
塔玛拉 The Continuation Of Classics





MODEL : 835-19



MODEL : 1635-19





MODEL : 635-19



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
835-19	23	A	87x60x76x30x18	0.215	0.295	1/2	18.0
		B	65x20x65	0.08			9.0
635-19	21.5	A	69x60x76x30x18	0.19	0.27	1/2	16.5
		B	65x20x65	0.08			9.0
1635-19	16.4		69x60x76x30x18	0.19	0.3	1/2	16.5
			54x52x39	0.11			2.5



MODEL : 635F-19



MODEL : 835F-19





Ingenious

DESIGN CONCEPT

A chair designed in accordance with the ergonomics takes into consideration of the figure of the users and the supporting force provided by the chair being used. The key point of this design can help user lower the pressure, so as to avoid fatigue in work.



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
835F-19	26.8	A	87x60x76x30x18	0.215	0.282	1/2	18.0
		B	65x15x69	0.067			6.0
635F-19	17.8	A	69x60x76x30x18	0.19	0.257	1/2	16.5
		B	65x15x69	0.67			6.0





MODEL : 835-19





MODEL : 835-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
835-19	23	A	87x60x76x30x18	0.215	0.295	1/2	18.0
		B	65x20x65	0.08			9.0

Benson

班森 The Continuation Of Classics







MODEL : 838F-19





MODEL : 838-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
838-19	22.7	A	89x60x80x29x29	0.302	0.382	1/2	18.0
		B	65x20x65	0.08			9.0
838F-19	18.9	A	89x60x80x29x29	0.302	0.369	1/2	18.0
		B	65x15x69	0.067			6.0



MODEL 1638-19



MODEL : 638F-19









MODEL 638-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
638F-19	17.2	A	69x60x80x29x29	0.232	0.299	1/2	16.5
		B	65x15x69	0.067			6.0
638-19	21	A	69x60x80x29x29	0.232	0.312	1/2	16.5
		B	65x20x65	0.08			9.0
1638-19	15.6		69x60x80x29x29	0.232	0.342	1/2	16.5
			54x52x39	0.11			2.5





MODEL : 840-19





MODEL : 640-19





MODEL : 1640-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
840-19	19.5	A	89x30x53	0.142	0.222	1/2	14.5
		B	65x20x65	0.08			9.0
640-19	18.5	A	89x30x53	0.142	0.222	1/2	13.5
		B	65x20x65	0.08			9.0
1640-19	15.9	A	89x60x60	0.32	0.32	2/1	33.0



MODEL : 839-19



MODEL : 639-19



MODEL : 1640-19





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
839-19	20.7	A	89x30x53	0.142	0.222	1/2	15.5
		B	65x20x65	0.08			9.0
639-19	19.8	A	89x30x53	0.142	0.222	1/2	15.0
		B	65x20x65	0.08			9.0
1640-19	15.9	A	89x60x60	0.32	0.32	2/1	33.0



MODEL : 831-19



MODEL : 631F-19



MODEL : 631-19





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
831-19	23.5	A	89x30x58	0.155	0.235	1/2	18.0
		B	65x20x65	0.08			9.0
631F-19	18.8	A	89x30x58	0.155	0.222	1/2	17.5
		B	65x15x69	0.067			6.0
631-19	23.0	A	89x30x58	0.155	0.235	1/2	17.5
		B	65x20x65	0.08			9.0

Dynamic In Static

FULL DISPLAY PERSONALITY

Grasping the pulse of the times, demonstrating fashionable life, combining modern office latest fashionable elements, it is novel, leading-edge, open and stylistic. It has the new experience of fashion, and understands the new and graceful appeal of modern office life.







MODEL : 829-19





MODEL : 629-19





MODEL : 629F-19

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
829-19	24.4	A	89x30x58	0.155	0.235	1/2	19.0
		B	65x20x65	0.08			9.0
629-19	22.9	A	89x30x58	0.155	0.235	1/2	17.5
		B	65x20x65	0.08			9.0
629F-19	20.0	A	89x30x85	0.155	0.222	1/2	17.5
		B	65X15x69	0.067			6.0







MODEL : 8899A











MODEL : 8898A







MODEL : 6630B-119



REFINED AND
APPRECIATED

The inspiration from nature is smooth and pretty. Imported quality materials, pure, primitive, soft and elastic, irresistible fascination suits man's nature, creating refreshing and elegant space environment, and reflects casual, relaxing and random office style.



MODEL : 6613A-15







MODEL : 6629WS







MODEL : 6616B



MODEL : 6618A



We are always Improving!



My New Chair



Feeling the Rare

ARBITRARINESS AND NOBILITY

Elegance and fashion harmonious coexist, exquisite and luxury freely demonstrate, superb nobility is represented in different space angles to feel the graceful manner of top quality, and the classic meaning.



MODEL : 828-116



MODEL : 1828





MODEL : 628-116



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
828-116	26.2	A	89x30x53	0.142	0.218	1/2	20.5
		B	65x18x65	0.076			9
628-116	24.6	A	89x30x53	0.142	0.218	1/2	18.9
		B	65x18x65	0.076			9
1828	18.9		89x62x62	0.342		2/1	40.9

Upright
AND GENEROUS

Graceful and streamlined shape overflows striking beauty, recurring the perfect combination of technology and aesthetics; superior comfort and multiple functionality, gives the user kind of leisurely feeling and thus double the passion for work.





MODEL : 828-0884



MODEL : 628-0884



MODEL : 1628





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
828-0884	25.1	A	89x30x53	0.142	0.218	1/2	19.4
		B	65x18x65	0.076			9
628-0884	23.6	A	89x30x53	0.142	0.218	1/2	17.9
		B	65x18x65	0.076			9
1628	17.8		76x62x62	0.292		2/1	38.3



MODEL : 828-021





MODEL : 628-021







MODEL : 1828A

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
828-021	24.6	A	89x30x53	0.142	0.218	1/2	18.9
		B	65x18x65	0.076			9
628-021	23.8	A	89x30x53	0.142	0.218	1/2	18.1
		B	65x18x65	0.076			9
1828A	19.9	A	89x49x53	0.231	0.325	2/2	26.5
		B	67x23x61	0.094			17



Men

迈，专为男士设计而生

Born For A Man

一种高品质的办公家具，承载的是一种办公文化的变革，在这过程中，我们享受到的不仅是高品位的办公方式，也是一种对自身价值和人生观点的积极实现。

The elastic lines outlined the pleasure of success. The romantic color that doesn't follow mainstream builds up the confidence of successful man. The round corner design of armrest and backrest symbolizes the age after the peak of life. The first-rate leather and filler that accord with ergonomic gives the impression of perfect life.

New Idea

OF LEISURE OFFICE

Years of experience, cooperation with industrial physicists, and integration of ergonomic theory, make the synchronized tilting function so perfect. The unique chair curves help us sit well, best supporting and safeguarding the body.





MODEL : 823-135

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
823-135	23.5	A	89x30x53	0.142	0.218	1/2	17.8
		B	65x18x65	0.076			9







MODEL : 623-135







MODEL : 1823

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
623-135	22.6	A	89x30x53	0.142	0.218	1/2	16.9
		B	65x18x65	0.076			9
1823	19.2		89x62x62	0.331		2/1	41.4



MODEL : 823-077



Fundamental theory of furniture design can be intensively seen in the aesthetic dialectic between functionality and form, functionality and ergonomics, functionality and technology materials.







MODEL : 623-077





MODEL : 1823

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
823-077	24.5	A	89x30x53	0.142	0.218	1/2	18.8
		B	65x18x65	0.076			9
623-077	23.7	A	89x30x53	0.142	0.218	1/2	18
		B	65x18x65	0.076			9
1823	19.2		89x62x60	0.331		2/1	41.4

FINE QUALITY
SHOWS NOBLENESS

Each production process of the DISHI executive chair series has undergone exquisite treatment, striving to create grandness and novelty in shape. The elaborately selected color, the appropriate arrangement has embodied different orientation of management role in everywhere. The arc shape backrest and armrest thoroughly display the original thought and distinctive style. The shape curve designed strictly according to the ergonomics provide the most comfortable and powerful support.





MODEL : 823-0895



MODEL : 623-0895



MODEL : 1623





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
823-0895	24.5	A	89x30x53	0.142	0.218	1/2	18.8
		B	65x18x65	0.076			9
623-0895	23.4	A	89x30x53	0.142	0.218	1/2	17.7
		B	65x18x65	0.076			9
1623	17.6		76x62x60	0.283		2/1	37.7

Ingenious

DESIGN CONCEPT

A chair designed in accordance with the ergonomics takes into consideration of the figure of the users and the supporting force provided by the chair being used. The key point of this design can help user lower the pressure, so as to avoid fatigue in work.





MODEL : 823-021





MODEL : 623-021





MODEL : 1823A

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
823-021	24.2	A	89x30x53	0.142	0.218	1/2	18.5
		B	65x18x65	0.076			9
623-021	23.1	A	89x30x53	0.142	0.218	1/2	17.4
		B	65x18x65	0.076			9
1823A	19.3	A	89x49x53	0.231	0.325	2/2	25.5
		B	67x23x61	0.094			17

Allen

艾伦，和谐融洽、英俊潇洒

Harmonious And Handsome

极具平衡感的设计理念，和富有亲切感的真皮面料，为人营造出一席时尚和谐气息。毫不拖泥带水的简练线条，勾勒出俊朗阳光的外表。皮的柔软、木的亲和，电镀五金脚的闪亮，显得清新爽朗又和谐相融，由里到外散发潇洒和谐和时尚格调。

The design concept with balance feeling and the real leather material with intimate feeling create fashionable and harmonious atmosphere. Its concise lines outlined handsome and sunny appearance. The soft leather, intimate wood and shiny electroplated metal legs combined in a fresh and harmonious way. They emit cool and fashionable style.



本系列产品已申请专利





MODEL : 822-099

Model 型号	N.G (KG) 净重		Carton Size (cm) 箱规尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
822-099	24.7	A	89x30x53	0.142	0.218	1/2	19
		B	65x18x65	0.076			9

CHIC OFFICE

UNLIMITED FASCINATING

Simple works, plain beeline, after wise and spiritual combining, become an existence of abundant feeling and deep significance, create a favorite space in tumultuous furniture industry.







MODEL : 622-099







MODEL : 1822

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
622-099	24.3	A	89x30x53	0.142	0.218	1/2	18.6
		B	65x18x65	0.076			9
1822	18.6		89x62x60	0.331		2/1	40.2





MODEL : 822-0891







MODEL : 1622





MODEL : 622-0891

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
822-0891	24	A	89x30x53	0.142	0.218	1/2	18.3
		B	65x18x65	0.076			9
622-0891	22.7	A	89x30x53	0.142	0.218	1/2	17
		B	65x18x65	0.076			9
1622	17.7		76x62x60	0.283		2/1	37.9

Scientific DESIGN

Fundamental theory of furniture design can be intensively seen in the aesthetic dialectic between functionality and form, functionality and ergonomics, functionality and technology materials.



MODEL : 822-134









MODEL : 1622



MODEL : 622-134



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
822-134	22.5	A	89x30x53	0.142	0.218	1/2	17.3
		B	65x18x65	0.076			8.6
622-134	21.3	A	89x30x53	0.142	0.218	1/2	16.1
		B	65x18x65	0.076			9
1622	17.7		76x62x60	0.283		2/1	37.9





MODEL : 622-021



MODEL : 822-021



ENJOY

FASHIONABLE OFFICE CULTURE

Different but classical combination will make you feel the time stops. All beautiful blossoms are for your honor and pride of today.





MODEL : 1822A



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
822-021	23.3	A	89x30x53	0.142	0.218	1/2	17.6
		B	65x18x65	0.076			9
622-021	22.5	A	89x30x53	0.142	0.218	1/2	16.8
		B	65x18x65	0.076			9
1822A	19.3	A	89x49x53	0.231	0.325	2/2	25.5
		B	67x23x61	0.094			17

Lady

蓓迪，专为女士设计而生

Specific For Women

不妖艳，不枯燥，以沉静优雅的气质营造一席富有涵养的气息。特别是它舒适的人体工程学造型和增长的弹力坐垫，每一个细节都照顾现代女士的身体需要。自由升降扶手以及一流的同步倾仰系统，坐在这里品酒，静思享一份女性特有的高贵情怀。

it is neither coquettish nor boring, creating the knowledgeable sentiment with calm and elegant manner. Especially its comfortable ergonomic shape and elastic cushion cares the demand of modern lady. The elevating armrest and first rate inclining system bring noble sentiment to each lady sitting, drinking and pondering here.





MODEL : 820-134

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
820-134	22	A	89x30x53	0.142	0.218	1/2	16.7
		B	65x18x65	0.076			8.6







MODEL : 620-134



MODEL : 1620





Aesthetic Style Displayed

The most concise and fashionable design concept, the lines are neat and succinct, wooden grain is natural and fresh. DISHI challenge your picky sight by sophisticated workmanship, allowing you experience dignified fashionable office space.

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
620-134	20.6	A	89x30x53	0.142	0.218	1/2	15.3
		B	65x18x65	0.076			8.6
1620	16.5		76x62x60	0.283		2/1	35.5







MODEL : 820-01





MODEL : 620-01





MODEL : 1820

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
820-01	23.6	A	89x30x53	0.142	0.218	1/2	17.9
		B	65x18x65	0.076			9
1820	18.6		89x62x60	0.331		2/1	40.2
620-01	22.7	A	89x30x53	0.142	0.218	1/2	17
		B	65x18x65	0.076			9





MODEL : 820-02

Dynamic In Static

FULL DISPLAY PERSONALITY

Grasping the pulse of the times, demonstrating fashionable life, combining modern office latest fashionable elements, it is novel, leading-edge, open and stylistic. It has the new experience of fashion, and understands the new and graceful appeal of modern office life.



MODEL : 620-02



MODEL : 1620





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
820-02	22.7	A	89x30x53	0.142	0.218	1/2	17.4
		B	65x18x65	0.076			8.6
620-02	21.4	A	89x30x53	0.142	0.218	1/2	16.1
		B	65x18x65	0.076			8.6
1620	16.9		76x62x60	0.283		2/1	36.3





MODEL : 620-021



MODEL : 820-021







MODEL : 1820A



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
820-021	23.6	A	89x30x53	0.142	0.218	1/2	17.9
		B	65x18x65	0.076			9
620-021	22.2	A	89x30x53	0.142	0.218	1/2	16.5
		B	65x18x65	0.076			9
1820A	19.5	A	89x49x53	0.231	0.325	2/2	26
		B	67x23x61	0.094			17

Saxon

撒克逊，持剑的征服者

The Conquer With A Sword

富有扩张感的时尚外形，线条行云流水，如征服者的剑尖，变化莫测。封膜式扶手设计，给身体以最大限度的承托感。整体轻灵舒适，毫无笨拙感，如同征服的气质，进退自如，包容并蓄。

The extensive and fashionable appearance feel as smooth as a stream and as changeable as a sword. The armrest design brings the best supporting to our body. It is light and comfortable, embracing the body with the manner of conquer.



INCREASE FLAVOR
FOR WORKING ENVIRONMENT

The steady shaping of sofas gives us secure and firm feeling. High-density quality cushion surface materials make sitting more comfortable. The leather and the wooden tea table forms sharp contrast, the material integration is really ideal for modern office.





MODEL : 626-18

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
626-18	23.2	A	75x69x18	0.093	0.329	1/3	8
		B	70x55x36	0.139			9.1
		C	65x23x65	0.097			13





MODEL : 626-18



MODEL : 826-18





MODEL : 826-18



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
826-18	24.5	A	92x69x19	0.121	0.356	1/3	9.4
		B	70x55x36	0.139			9.1
		C	65x23x65	0.097			13
626-18	23.2	A	75x69x18	0.093	0.329	1/3	8
		B	70x55x36	0.139			9.1
		C	65x23x65	0.097			13



Will

威尔，英勇的战士和保卫者

The Salute To Warriors And Defenders

舒适的头靠，捍卫着使用者的颈、肩健康；外飘式的扶腰扶手，给双手以更大的承托面积，整体简约干练又不乏柔和的线条设计，展战士的刚柔并济，威尔，用鲜花般的色彩和造型，向勇敢的战士和保卫者致敬！

The comfortable backrest protects the neck and shoulder of users. The armrest brings larger supporting area for your hands, it is neat with soft lines just like a warrior. Will use the color and shape of flowers to salute the brave warriors and defenders.

本系列产品已申请专利

NOBLE QUALITY

EXCELLENT AND EXTRAORDINARY

The colors are vivid, harmonious and elegant; the shapes are simple and novel; the lines are graceful and smooth; the work is meticulous—this is artistic creation, and is exquisite of inspiration of experts.







MODEL : 825-18

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
825-18	24.3	A	90x77x30	0.208	0.304	1/2	17.8
		B	65x23x64	0.096			13







MODEL : 825-18

Brilliant Elegant

EXQUISITE PROCESSING

Splendid and elegant shaping, noble and reserved cultural flavor, together with excellent craftsmanship and materials, makes the entire furniture comfortable and romantic.







MODEL : 625-18

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
825-18	24.3	A	90x77x30	0.208	0.304	1/2	17.8
		B	65x23x64	0.096			13
625-18	22.2	A	76x74x29	0.208	0.259	1/2	16
		B	65x23x64	0.096			13

Genuine Leather 牛皮

DS001LD DS002LD DS003LD DS005LD DS007LD

DS008LD DS009LD DS010LD DS011LD DS012LD

Microfiber Leather 超纤皮

DS001-18 DS002-18 DS003-18 DS004-18 DS005-18

DS006-18 DS007-18 DS008-18 DS009-18 DS010-18

DS011-18 DS2017417-1 DS2017417-2 DS2017417-3 DS2017417-4

Fabric 布

SF-104 SF-109 SF-110

皮板颜色仅供参考，请以实物为准！
Color sample only for reference!

Chair Arm 扶手


01


077


099


116


135


823-021


828-021


0884


0891


0895


02


134

Chair Base 五星脚


A


B


C



Ziv

日杰夫，充盈活力与快乐的感觉

The Vigorous And Happy Feeling

轻量化的款型和动感的撞色设计，让椅子散发出出青春活力的感觉。透气的网背代替了传统的皮、布，加强了背的空气流通和排热，让使用者有如沐春风感觉。搭配升降扶手、同步倾仰及锁定系统，日杰夫，让坐在这里的每一刻都活力满分，快乐自由。

The light pattern and dynamic color impact endowed the chair vigorous feeling. The breathable mesh backrest replaced traditional leather and cloth. It enhanced the ventilation and heat extraction, making the user feel cool. The product was matched with elevating armrest, synchronous inclining and locking system. Ziv makes each minute sitting here energetic and free.

本系列产品已申请专利

专利号 (Patent No)：ZL 2018 3 0027294.6







MODEL : 6630B-118

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6630B-118	11.5		66x60x60	0.238	0.238	2/1	26



MODEL : 6630B~118W



MODEL : 6630W~118W







MODEL : 6630S~119W (锁定 /Lockable)

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6630W-118W	12.2		66x60x60	0.238	0.238	2/1	27.5
6630B-118W	11.5		66x60x60	0.238	0.238	2/1	26
6630S-119W (锁定)	12.2		66x60x60	0.238	0.238	2/1	27.5

REFINED AND APPRECIATED

The inspiration from nature is smooth and pretty. Imported quality materials, pure, primitive, soft and elastic; irresistible fascination suits man's nature, creating refreshing and elegant space environment, and reflects casual, relaxing and random office style.



MODEL : 6630B-119







MODEL : 6630W-119W





MODEL : 6630S-119W

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6630B-119	11.5		66x60x60	0.238	0.238	2/1	26
6630S-119W	12.2		66x60x60	0.238	0.238	2/1	27.5
6630W-119W	12.2		66x60x60	0.238	0.238	2/1	27.5





MODEL : 16629SW



MODEL : 6629SW



Fashionable

COMFORTABLE

exqusite series office sofas feature leading-edge stainless steel outer frames, with reinforced sofa structure; the marvelous contrast between colors and quality sense, the amiability of the reserved layout, makes communication deeper and more harmonious.



MODEL : 6629B



MODEL : 16629B-1





Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6629SW	12		66x60x60	0.238	0.238	2/1	27
16629SW	9.8		75x52x45	0.176	0.176	2/1	22.2
6629B	11.1		66x60x60	0.238	0.238	2/1	25.5
16629B-1	9.8		75x52x45	0.176	0.176	2/1	22.2





MODEL : 16629WS



MODEL : 6629WS

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6629WS	12		66x60x60	0.238	0.238	2/1	27
16629WS	9.8		75x52x45	0.176	0.176	2/1	22.2



Virgil

弗吉尔，春天般的欣欣向荣感

Vigorous Feeling Like Spring

清新的色彩和富有跳跃感的线条，赋予了弗吉尔系列转椅春天般的欣欣向荣感。透气网背搭配排热性能良好的坐垫填充，即使在炎热的夏天也能领域如沐春风的清爽感觉。人体工程学元素的和谐融入，每一刻都是心旷神怡的舒适坐感。

The fresh color and the flexible lines have endowed the rotary chair of Vergil the vigorous feeling like spring. The breathable mesh backrest matches with the cushion which can extract heat. It can bring you the fresh feeling like spring when even in hot summer. The ergonomic elements have been blended harmoniously, each moment sitting here is fresh and comfortable.

本系列产品已申请专利

专利号 (Patent No)：ZL 2017 3 0476788.8



MODEL : 16628W





MODEL : 6628W

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6628W	11.3		68x61x60	0.249	0.249	2/1	25.5
16628W	9.4		76x56x61	0.26	0.26	2/1	22



MODEL : 6628W (锁定)



MODEL : 6628W





MODEL : 6628S



MODEL : 16628S



Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6628W (锁定)	11.3		68x61x60	0.249	0.249	2/1	25.5
6628S	11.3		68x61x60	0.249	0.249	2/1	25.5
16628S	9.4		76x56x61	0.26	0.26	2/1	22

Create space

ABUNDANCE IN MELODY

New and unique modern office furniture also seek cultural root in the high rationality and functionality. Leisurely reception space is full of human interest due to the interweave so close to the times which forms new artistic layout and furniture culture.







MODEL : 6628B





MODEL : 16628B-1

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6628B	10.5		68x61x60	0.249		2/1	24
16628B-1	11.5		66x60x60	0.238		2/1	26



Una

优娜，一人一椅，独一无二感觉

One Person With One Chairs, The Unique Feeling

高雅的金属质感与清新的布色相结合，赋予优娜独一无二的个性气质。
人体有序的曲线，不夸张，不内敛，自由把握时尚与生活的界线。
实用的气动升降功能搭配符合人体生理曲线的靠背，一个人，一把椅子，享受一份独一无二的舒适感。

The high glossy metal color and the fresh color of cloth have combined in a luxurious manner. The delicate and regular pattern is processed in an inclusive, inviting the balance between fashion and life. Pneumatic lifting function matches with the ergonomic curve of the backrest, a person with one chair, you can enjoy the unique and comfortable feeling.

本系列产品已申请专利
专利号 (Patent No)：ZL 2012 3 0[illegible].X







MODEL : 6622B





MODEL : 16622B

Advanced design allows office business handling full of the sense of art. The elaborate production based on traditional craft and skill and natural materials are original.







MODEL : 16622B-1

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6622B	11.1		85x60x60	0.306	0.306	2/1	25.7
16622B 白色 + 电镀架	9.7	A	80x56x56	0.251	0.451	2/2	16.3
		B		0.2			6.2
16622B-1 黑色 + 喷黑架	9.7	A	80x56x56	0.251	0.451	2/2	16.3
		B		0.2			6.2



VOGUISH
DESIGN

Requirement of the times, reflection of fashion, concise, comfortable and elegant, fit to the human body, size and shape, design, attention is put to complete relaxation.





MODEL : 16622W





MODEL : 6622W





MODEL : 182W

Model 型号	N.G (KG) 净重		Carton Size (cm) 纸箱尺寸	Unit (m^3) 包装立方	Total (m^3) 总立方	PCS/CTN 件数	G.W (KG) 毛重
6622W	11.6		85x60x60	0.306		2/1	25.7
16622W 白色 + 电镀架	9.7	A	80x56x56	0.251	0.451	1/2	16.3
		B		0.2			6.2
182W	24		76x65x50	0.287	0.287	2/1	26

Mesh Color For Back 背网



Fabric Color For Seat 座布



Chair Arm 扶手



Chair Base 五星脚



Mechanism 底盘



BIFMA 测试内容 BIFMA TEST

部件	作用力	耐久性测试	COMPONENTS	STRENGTH	REQUIREMENT-TEST
靠背	136KG	不超过 400 毫米（16 英寸）加荷 1 分钟	BACK	136KG	Max 400mm (16 inch)above the seat for 1 minute
	45KG	负载 120000 次		45KG	total 120,000 cycles
座包	57KG	从离座包 30 毫米（1.2 英寸）冲击 100000 次	SEAT	57KG	Drop height:30mm(1.2inch) above the seat, 100,000cycles
	75KG	座包前面的两边位置各负荷 20000 次		75KG	Test point:two front corners of the seat , 20,000 cycles on each corner
动态坠落	136KG	落差 152 毫米（6 英寸）	Drop Test Dynamic	136KG	Drop height:152mm(6inch)
扶手	115KG	可升降的扶手的最脆弱位置加荷 1 分钟	Arm	115KG	At the weakrest point of arm with all adjustments set at normal use conditions
汽杆	113KG	升到最高旋转 60000 圈，降到最低旋转 60000 圈	Gas lift	113KG	60,000 cycles when seat at the highest position and another 60,000 cycles when the seat at lowest position
底盘	102KG	旋转 300000 圈	Mechanism	102KG	300,000cycles
五星脚	1133KG	加荷 2 分钟	Base	1133KG	2 times,each time 1 minute
脚轮	113KG	三个障碍物负荷 2000 次	Caster	113KG	2,000 cycles with 3 obstacles
	113KG	没有障碍物负荷 98000 次		113KG	98,000 cycles over a smooth hard surface without obstacles

001-18 及 2017 417 人造革系列以下标准 001-18/2017 417 Microfiber leather/Pu Standard

测试内容	级数	内容	Test	Grade	Content
皮革厚度		1.1mm	Thickness		1.1mm
耐水解	5 年以上	丛林 5 周，15%NaoH,24 小时	Hydrolysis resistance	>5 years	Jungle 5 years,15%NaoH,24hours
耐黄变	3-4 级		Anti-yellowing	grade 3-4	
光照色牢度	大于 4 级	QB/T 2727-2005, 方法 3	Light Fastness	> grade 4	QB/T 2727-2005,method 3
耐摩擦色牢度（干、湿擦）	4-5 级		Rubbing Fastness	grade 4-5	
耐中性皂液	大于 4 级	QB/T 2537-2001	Neutral soap	> grade 4	QB/T 2537-2001
耐汽油	大于 4 级	QB/T 2537-2001	Anti-petrol	> grade 4	QB/T 2537-2001
耐碱性人造汗液	大于 4 级	QB/T 2537-2001	Anit-alkaline artificial sweat	> grade 4	QB/T 2537-2001
耐寒	— 20℃	Q/SQJ-C-0512-2012,-20℃ ,1h	Cold-resistant	— 20℃	Q/SQJ-C-0512-2012,-20℃ ,1h
耐热	大于 4 级	Q/SQJ-C-0512-2012,120℃ ,4h	hot-resistant	> grade 4	Q/SQJ-C-0512-2012,120℃ ,4h
耐磨	马丁代尔	8-10 万次	Wear-resisting	Martindale	8-100,000 times
抗污性能（咖啡 / 可乐 / 橙汁）	大于 4 级	QJLY-J7110614B-2015	Anti pollution performance	> grade 4	QJLY-J7110614B-2015
防菌 / 防霉	1 级	ASTMG21-2009	Antibacterial/mildew	grade 1	ASTMG21-2009
EN71-3/ROHS 标准	通过		EN71-3/ROHS standard	Pass	
甲醛	零甲醛		Formaldehyde	No HCHO	
有机挥发物释放（TVOC）	低于 50ugc/g		Release of organic volatiles	<50ugc/g	
表面防火	通过美标 CA117	美标 CA117	Fire resistance	pass CA 117	CA 117

产品不断更新、改进，尺寸请以实物为准！
As the product is constantly updated and improved, please refer to the object in kind.
产品颜色因拍摄、印刷等原因，如与实物出现差别，请以实物为准！
Phototraphy , printing and other reasons may change the color, pls refer to the object.


6619 Series





MODEL:86619B-A



专利号：ZL 201730020033.7

FASHIONABLE, CONCISE DECENT

Newly define the fashion,
design with profoundness;
boldly interpret the
concise fashionable unique taste.

MODEL:86619B



专利号：ZL 201730020033.7





MODEL:6619B-A



专利号：ZL 201730020033.7



MODEL:6619B



专利号：ZL 201730020033.7



MODEL:16619B-1

专利号：ZL 201730020033.7



MODEL:16619B



专利号：ZL 201730020033.7



FASHIONABLE, CONCISE DECENT

Newly define the fashion, design with profoundness; boldly interpret the concise fashionable unique taste.



MODEL:86619W-A



专利号：ZL 201730020033.7



MODEL:86619W



专利号：ZL 201730020033.7



MODEL:6619W-A



专利号：ZL 201730020033.7



MODEL:6619W



专利号：ZL 201730020033.7

MODEL:16619W



专利号：ZL 201730020033.7





MODEL:86619S



专利号：ZL 201730020033.7



MODEL:6619S



专利号：ZL 201730020033.7



MODEL:16619S



专利号：ZL 201730020033.7

6620 Series





FASHIONABLE, CONCISE DECENT

Newly define the fashion, design with profoundness; boldly interpret the concise fashionable unique taste.



MODEL:86620B-A



专利号：ZL 201730020030.3



MODEL:86620B



专利号：ZL 201730020030.3



MODEL:6620B-A



专利号：ZL 201730020030.3



MODEL:6620B



专利号：ZL 201730020030.3



MODEL:16620B



专利号：ZL 201730020030.3



MODEL:16620B-1



专利号：ZL 201730020030.3

MODEL:86620S



专利号：ZL 201730020030.3





MODEL:6620S



专利号：ZL 201730020030.3



MODEL:16620S



专利号：ZL 201730020030.3





MODEL:86620W-A



专利号：ZL 201730020030.3

MODEL:86620W



专利号：ZL 201730020030.3



MODEL:6620W-A



专利号：ZL 201730020030.3



MODEL:6620W



专利号：ZL 201730020030.3



MODEL:16620W



专利号：ZL 201730020030.3

6621 Series





MODEL:86621B



专利号：ZL 201730020030.3



MODEL:86621B-A



专利号：ZL 201730020030.3



MODEL:6621B-A



专利号：ZL 201730020030.3



MODEL:6621B



专利号：ZL 201730020030.3

MODEL:86621S



专利号：ZL 201730020030.3





MODEL:16621B



专利号：ZL 201730020030.3



MODEL:16621B-1



专利号：ZL 201730020030.3



MODEL:6621S



专利号：ZL 201730020030.3

MODEL:16621S



专利号：ZL 201730020030.3





MODEL:86621W



专利号：ZL 201730020030.3



MODEL:86621W-A



专利号：ZL 201730020030.3









MODEL:6621W



专利号：ZL 201730020030.3



MODEL:6621W-A



专利号：ZL 201730020030.3

FASHIONABLE, CONCISE DECENT

Newly define the fashion, design with profoundness; boldly interpret the concise fashionable unique taste.



MODEL:16621W

专利号：ZL 201730020030.3





MODEL:86618-1
专利号：ZL 201530328960.6



MODEL:86618A
专利号：ZL 201530328960.6



MODEL:86618A



专利号：ZL 201530328960.6

86618A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
86618A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.





MODEL:6618A



专利号：ZL 201530328960.6



MODEL:6618WA



专利号：ZL 201530328960.6



6618A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6618A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:86615A



专利号：ZL 201530328960.6



MODEL:86615B-1

专利号：ZL 201530328960.6

86615A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
86615A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:6615A-1



专利号：ZL 201530328960.6



MODEL:6615A



专利号：ZL 201530328960.6



MODEL:6615WA-1



专利号：ZL 201530328960.6



MODEL:6615WA



专利号：ZL 201530328960.6

6615A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6615A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:6615B-1



专利号：ZL 201530328960.6



MODEL:6615B



专利号：ZL 201530328960.6

6615A 已获得美国 ANSI/BIFMA X5.1~2011 的国际授权认证，确保椅子的安全和耐用性能。
6615A is designed and certified to ANSI/BIFMA X5.1~2011 standards for durabilit and safety.





MODEL:16615B



专利号：ZL 201530328960.6

MODEL:16615W



专利号：ZL 201530328960.6



6615A 已获得美国 ANSI/BIFMA X5.1~2011 的国际授权认证，确保椅子的安全和耐用性能。
6615A is designed and certified to ANSI/BIFMA X5.1~2011 standards for durabilit and safety.



MODEL:86616A



专利号：201630011491.X



MODEL:86616B

专利号：201630011491.X



MODEL:86616B-1

专利号：201630011491.X

86616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
86616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

MODEL:6616A



专利号：201630011491.X





MODEL:6616SA



专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

Exquisite collection,

And technology is worth while being appreciated. From the details, you can find out the quality and graceful taste of products.

refined and appreciated It is surprise to have such structure designed.



MODEL:6616WA



专利号：201630011491.X



MODEL:6616SA-1

专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:16616B



专利号：201630011491.X

MODEL:16616B

专利号：201630011491.X





MODEL:16616W



专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:86613A-16A

专利号：ZL 201530329044.4



MODEL:86613A-16



专利号：ZL 201530329044.4



MODEL:86613B-16

专利号：ZL 201530329044.4

86613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
86613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.





MODEL:6613B-15



专利号：ZL 201530329044.4



MODEL:6613A-15



专利号：ZL 201530329044.4



MODEL:6613B-A



专利号：ZL 201530329044.4



MODEL:6613B

专利号：ZL 201530329044.4

6613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.





MODEL:8898B-12B



专利号：ZL2014 3 0047278.5



MODEL:6898B-12



专利号：ZL2014 3 0047278.5



MODEL:8898A



专利号：ZL2014 3 0047278.5



MODEL:8898B



专利号：ZL2014 3 0047278.5



MODEL:8898A-16





MODEL:8698B-16





MODEL:Y70B





MODEL:Y170B-1



MODEL:Y170B





MODEL:Y70W







MODEL:Y70W



MODEL:Y170W







MODEL:817-16





MODEL:818-16







MODEL:108-16



MODEL:108-16



MODEL:108-16





MODEL:108-16-3



MODEL:108-16-2





DROP DOWN
THE WORKING
BURDEN,
EASILY FACE TO
CHALLENGE.

消除辦公運動一體化



MODEL:DS-202GGW













MODEL:DS-202UWW









MODEL:DS-202GWC











MODEL:DS-202GWW







MODEL:DS-202UWC











MODEL:DS-201UWW







MODEL:DS-201GWC







MODEL:DS-201GWW









MODEL:DS-201UBB













MODEL:DS-201UWC



温馨提示:
Warm prompt

- 会议台统一尺寸(cm):
  长 274\宽 152.6\高 76\ 厚度 5.2
  Unified Table size(cm):
  L 274* W 152.6* H 76 *T 5.2
- 201 系列是方形脚；202 系列是菱形脚:
  201 : square leg, 202 : rhombus leg
- 可供选择台面颜色 >>A
  Optional table top color 01
- 可供选择台边颜色 >>B
  Optional table side color 02
- 可供选择台脚材料 >>C
  Optional leg's material 03

A: 台面颜色
A:Table top color

环保绿 Green（G）

宝石蓝 Blue（U）

B: 台边颜色
B:Table side color

可根据顾客要求定制各种颜色。
Can customize various color according to customer requirements.

绿 Green(G)

黄 Yellow(Y)

红 Red(R)

蓝 Blue（U）

黑 Black(B)

白 White(W)

C: 台脚颜色
C:Table leg finishing

珍珠白 White(W)

水晶银 Silver(S)

电镀色 Chrome(C)

高雅黑 Black(B)

环保绿 Green（G）

宝石蓝 Blue（U）

型号说明:
Model specification

DS-201UWC

- 台脚颜色 Table leg finishing
- 台边颜色 Table side color
- 台面颜色 Table top color
- 台脚形状 Table Leg shape

We are always Improving!

WE ARE ALWAYS IMPROVING



EVERY OFFICE CHAIR IS A KIND OF ENERGY

如何达到
CA117 和 CAL TB133
美国家具防火要求

CA117 和 CAL TB 133 都是美国阻燃测试标准，CA117 主要是针对家具材料，TB 133 主要是针对成品椅子、沙发。

具体标准要求，详情如下：

公共场所使用的座位家具的燃烧性能测试程序

主要观察指标、要求 (Criteria B)：

1、热释放效率最大值不能超过 80KW；

2、前 10 分钟总热释放不能超过 25MJ；

3、样品释放 CO 的浓度超过 1000ppm 的时间不能超过 5min；

4、烟密度不能超过 75。

第一步：以 8×8 吋和 8×5 吋试样覆盖标准聚氨酯海绵并放置于试样固定架上，放上燃点了的标准香烟并盖上一片单布料。

第二步：以 8×8 吋和 8×5 吋试样覆盖标准聚氨酯海绵，再盖上标准 2 型面布并放置于试样固定架上，放上燃点了的标准香烟并盖上一片单布料。

第三步：以标准 1 型面布覆盖 8×8×2 吋和 8×5×2 吋试样并放置于试样固定架上，放上燃点了的标准香烟并盖上一片单布料。

第四步：以 21×13.5 吋标准 2 型面布覆对 21×13.5×1 吋试样并固定于试样固定木架上。放上燃点了的标准香烟并盖上一片单布料。

TB 133 公共建筑用座椅的可燃性测试程序旨在测试公共建筑中公共使用的座椅。这些设施也同时包括了监狱、护理院、健康保健场所、公共礼堂、酒店和汽车旅馆等。

TB 133 公共建筑用座椅的可燃性测试的相关标准：

AS 3744.1-1998 家具 / 软体家具易燃性评估第 1 部分：火源——点燃

NFPA 261:2009 软体家具模型的点燃测试

ASTM E1352-08a 模拟软垫家具的阴燃测试标准

ASTM E1353-08a 软垫家具部件的阴燃测试标准

CHIC TASTE

. brings brand new space touching, the fashion appearance, unique style, equivalent functionality and aesthetics, unlimited extending office vision.

MODEL:6616A





专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1~2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1~2011 standards for durabilit and safety.

Exquisite collection,

And technology is worth while being appreciated. From the details, you can find out the quality and graceful taste of products.

refined and appreciated It is surprise to have such structure designed.





MODEL:6616SA



专利号：201630011491.X



MODEL:6616WA



专利号：201630011491.X



MODEL:6616SA-1

专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



FASHIONABLE, CONCISE DECENT

Newly define the fashion, design with profoundness; boldly interpret the concise fashionable unique taste.

MODEL:6616B



专利号：201630011491.X



MODEL:6616A-1

专利号：201630011491.X



MODEL:6616B-1

专利号：201630011491.X



MODEL:6616A

专利号：201630011491.X



MODEL:6616A

专利号：201630011491.X



MODEL:6616A



专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:6616WA-1

专利号：201630011491.X



MODEL:6616WA-1

专利号：201630011491.X





MODEL:6616WA-1



专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

Excellent high efficient

drop down the working burden, easily face to challenge. ***Replace redundant luxury with concise delicateness***







MODEL:6616WA



专利号：201630011491.X

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.





PERSONALIZED TASTE

Designed skillfully, every product completely expresses modern people's personalities and pursuing for life tastes.

MODEL:16616B



专利号：201630011491.X



MODEL:16616B

专利号：201630011491.X



MODEL:16616B

专利号：201630011491.X



MODEL:16616B

专利号：201630011491.X





MODEL:16616W



专利号：201630011491.X



MODEL:16616W

专利号：201630011491.X



MODEL:16616W

专利号：201630011491.X



MODEL:16616W

专利号：201630011491.X

Fashionable rhythm of office space

seek the tranquil and peaceful office space, this is the main rhythm of DiShi furniture displaying.

Purchase harmonious life





MODEL:6617B-S



专利号：201630011491.X



MODEL:6617B-S



专利号：201630011491.X



MODEL:6617A-SW



专利号：201630011491.X





MODEL:6617A-RB



专利号：201630011491.X



MODEL:6617A-RB

专利号：201630011491.X



MODEL:6617A-RW



专利号：201630011491.X



MODEL:6617A-RW

专利号：ZL 201630011491.X





办公椅如何达到
美国 ANSI/BIFMA X5.1-2011 标准

- **靠背静态强度测Ⅰ型座椅—功用负荷量**
  靠背承受压力：用 890 牛（200 磅）的力，以与靠背垂直 90 度直角的方向，在距离不超过 16 英寸处垂直作用于靠背上
  加荷时间：1 分钟

- **靠背静态强度测 Ⅰ型座椅 - 标准负荷**
  靠背承受压力：用 1334 牛（300 磅）的力，以与靠背垂直 90 度直角的方向，在距离不超过 16 英寸处垂直作用于靠背上
  加荷时间：1 分钟

- **靠背静态强度测Ⅱ型和Ⅲ型座椅—功用负荷量**
  靠背承受压力：用 667 牛（150 磅）的力，以与靠背垂直 90 度直角的方向，在距离不超过 16 英寸处垂直作用于靠背上
  加荷时间：1 分钟

- **靠背静态强度测Ⅱ型和Ⅲ型座椅—标准负荷**
  靠背承受压力：用 1112 牛（250 磅）的力，以与靠背垂直 90 度直角的方向，在距离不超过 16 英寸处垂直作用于靠背上
  加荷时间：1 分钟

- **五爪静态压力测试**
  测试使用压力：1112O 牛的力通过垂直柱在中心垂直作用于五星脚上
  加荷时间：2 分钟，每次 1 分钟

- **动态坠落试验—功用负荷量**
  测试包重量：102 公斤（225 磅）
  落差：152 毫米（6 英寸）

- **动态坠落试验—标准负荷**
  测试包重量：136 公斤（300 磅）
  落差 152 毫米（6 英寸）

- **旋转试验**
  弹簧座负荷：113 公斤（250 磅）
  循环动作：把汽杆升到最高位置时旋转 60000 圈，把汽杆降到最低位置时旋转 60000 圈

- **底盘旋转测试—Ⅰ型和Ⅱ型座椅**
  弹簧座负荷：102 公斤（225 磅）
  旋转圈数：300000 圈

- **座包耐久性测试—循环冲击试验**
  测试包重量：57 公斤（125 磅）
  落差：从离座包 30 毫米（1.2 英寸）处
  次数：100000 次

- **座包耐久性测试—多次偏离中心倾轻前面负载测试**
  测试负荷：734 牛（165 磅）
  测试点：座包前面的两边位置
  次数：每边位置各 20000 次

- **稳定性测试—Ⅲ型座椅的稳定性**
  此测试只适用于靠背大于 200 毫米的座椅
  Ⅲ型座椅：
  给座椅负荷 6 个重物，对位于最高的盘状物施加一个水平横向力，其水平力应用的位置应在最高重物的 6 毫米（0.25 英寸）处
  力度要求：
  当力度以牛顿作为度量时，其力度为 0.1964（1195-H）时，座椅高度应以毫米为度量
  当力度以磅作为度量时，其力度为 1.1 磅（47-H）时，座椅高度应以英寸作为度量
  座椅的座包高度大于或等于 710 毫米（28.0 英寸），固定的力量应用应为 93 牛（20.9 磅）
  座椅不得翻倒

- **稳定性测试—Ⅰ型和Ⅱ型座椅**
  此测试只适用于靠背大于 200 毫米的座椅
  给座椅负荷 13 个重物（每个重量为 10 公斤），
  座椅不得翻倒

- **稳定性测试—向前稳定性**
  在距离座椅的脚轮或脚的 13 毫米（1/2 英寸）处设置障碍，向离座包前方中心 60 毫米（2.4 英寸）处施加一个向下的 600 牛（135 磅）的压力，座椅能抵挡来自离座包水平前方 20 牛（4.5 磅）的压力而不翻倒

- **扶手垂直静态强度测试—功用负荷量**
  测试负荷：对在正常使用状态下的可升降的扶手的最脆弱位置施加一个为为 750 牛（169 磅）的压力
  加荷时间：1 分钟

- **扶手垂直静态强度测试—标准负荷**
  测试负荷：对在正常使用状态下的可升降的扶手的最脆弱位置施加一个力为 1125 牛（253 磅）的压力
  加荷时间：1 分钟

WONDERFUL MOOD

Aesthetic and fashionable appearance, the delicate comfortable usage feeling, you are capable to be in nice mood every day.

MODEL:6618A



专利号：ZL 201530328960.6





SGS

6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.







MODEL:6618WA



专利号：ZL 201530328960.6



6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:6615B-1



专利号：ZL 201530328960.6



MODEL:6615A



专利号：ZL 201530328960.6



6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.



MODEL:6615WA-1



专利号：ZL 201530328960.6



MODEL:6615WA



专利号：ZL 201530328960.6





MODEL:16615B



专利号：ZL 201530328960.6



MODEL:16615W



专利号：ZL 201530328960.6



6616A 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6616A is designed and certified to ANSI/BIFMA X5.1-2011 standards for durabilit and safety.

办公椅如何达到
美国 ANSI/BIFMA X5.1-2011 标准

- **扶手水平静态强度测试—功用负荷量**
  测试负荷：445 牛（100 磅）的压力
  加荷时间：1 分钟

- **扶手水平静态强度测试—标准负荷**
  测试负荷：667 牛（150 磅）的压力
  加荷时间：1 分钟

- **座椅靠背耐久性循环多次测试—Ⅰ类型座椅**
  弹簧座负载：座包中心位置能承受 102 公斤（225 磅）的压力
  靠背负载 :445 牛（100 磅）
  测试次数：总共 120000 次

- **座椅靠背耐久性循环多次测试—Ⅱ和Ⅲ类型座椅**
  弹簧座负载：座包中心位置能承受 102 公斤（225 磅）的压力
  靠背负载 :334 牛（75 磅）
  测试次数：总共 120000 次

- **脚轮 / 轮椅底座耐久性测试—转椅**
  负荷：113 公斤（250 磅）
  次数：设置三个障碍物的地圆时为 2000 次，在没有障碍物的光滑地圆时为 98000 次

- **脚轮 / 转椅底座耐久性测试—有椅脚的座包、椅**
  对座椅施加一个 113 公斤（250 磅）的压力，在设置有两个障碍物的地面试验 2000 次后没有损失，在没有障碍物的光滑地面上试验 98000 次后没有损失。测试撞击距离不少于 762 毫米（30 英寸）。当对脚轮多次施加 22 牛（5 磅）的牵引力后没有一个脚轮从转椅上脱落
  椅脚强度测试—功能负荷前负荷
  负荷：对每个椅脚分别施加一个 334 牛 (75 磅）的压力，每个椅脚各施加一分钟

- **椅脚强度测试—标准负荷前负荷**
  负荷：对每个椅脚分别施加一个 503 牛 (113 磅）的压力，每个椅脚各施加一分钟

- **椅脚强度测试—功能负荷侧负荷**
  负荷：对每个椅脚分别施加一个 334 牛（75 磅）的压力，每个椅脚各施加一分钟

- **椅脚强度测试—标准负荷侧负荷**
  负荷：对每个椅脚分别施加一个 503 牛（113 磅）的压力，每个椅脚各施加一分钟

- **脚垫垂直静态负荷测试—功能负荷**
  测试负荷：持续施加 445 牛（100 磅）压力 1 分钟

- **脚垫垂直静态负荷测试—标准负荷**
  测试负荷：持续施加 1334 牛（300 磅）压力 1 分钟

- **脚垫耐久性循环多次测试**
  测试负荷：890 牛（200 磅）
  次数：50000 次

- **扶手耐久性循环多次测试**
  测试负荷：用 400 牛（90 磅）的压力从每个方向以 10 度的角度施加
  次数：60000 次

- **通过手动调整座椅高度进行外档块疲劳测试**
  在座椅正中央设置一个 74 公斤（163 磅）的刚性质量，把座椅升到最高位置，垂直于座椅的中心线的最高点处绑上一段电缆，然后在电缆的末端悬挂一个重量为 25 公斤 (55 磅）的物体，释放该物体使其迅速向前拉拽和碰撞座椅

- **写字板静态载荷测试**
  测试负荷： 表面最脆弱点处施加 68 公斤（150 磅）的压力 1 分钟
  该负荷的应用一旦导致结构完整的椅子发生重大变化，当进行完测试后，该写字板必须从座椅上拆走，其他在允许范围内的损失可以接受

- **写字板疲劳载荷循环多次测试**
  测试负荷：343 千（77 磅）
  次数：100000 次





MODEL:6613B-15



专利号：ZL 201530329044.4



MODEL:6613A-15



专利号：ZL 201530329044.4

6613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.



GLAMOROUS WONDER

Combines graceful atmosphere with the practical design, added a beautiful splendor for your working environment.

MODEL:Y-69B











MODEL:Y-54B



Your heart is farer once is concise

what you purchase is to simplify the complication. Personality is so free, calm and eased, the future is planned when moving your finger in one minute.

When stand in certain height,





MODEL:Y-69W







MODEL:Y-51B







MODEL:Y-51W





MODEL:195B-15



专利号：ZL 201430046826.2







MODEL:Y-56W



MODEL:Y-56W



MODEL:Y-19B



MODEL:Y-19B



MODEL:Y-56B







MODEL:Y-19W





MODEL:Y-19W



MODEL:Y-20B





MODEL:Y-20B



MODEL:Y-20W





MODEL:Y-20W





MODEL:Y-52W







MODEL:Y-52B





MODEL:Y-55B



MODEL:Y-55B



MODEL:Y-55B





FASHIONABLE
ELEGANT, DECORATE
PERFECTION

Texture is simple and pure gloss, surface treatment is delicate, impressive lightness, the style, the pattern, the material, the technology, all have displayed countless charm of modern and fascination.

MODEL:Y-21B







MODEL:Y-21B-1







MODEL:Y-50W



INGENIOUS FASHIONABLE

Ingenious design is to satisfy your spirit to continuously create wisdom and realize it.





MODEL:Y-50B







MODEL:Y-53W







MODEL:Y-53B



How to make an office chair reach the American **ANSI/BIFMAX5.1-2011** Standard?

- **Back Strength Test - Static-Type I –Functional Load**
  Back force:890 N (200 lbf.),90 degree to the backrest , max 16 inch above the seat.
  Loading period: 1 minute

- **Back Strength Test – Static –Type I - Proof Load**
  Back force:1334 N (300 lbf.) ,90 degree to the backrest , max 16 inch above the seat.
  Loading period: 1 minute

- **Back Strength Test - Static - Type II & III – Functional Load**
  Back force:6670 N (150 lbf.),90 degree to the backrest ,max 16 inch above the seat.
  Loading period: 1 minute

- **Back Strength Test - Static-Type II & III – proof Load**
  Back force:1112 N (250 lbf.),90 degree to the backrest ,max 16 inch above the seat.
  Loading period: 1 minute

- **Back Test - Static**
  Test force:111.20 N, on the center of base via a vertical column.
  Loading period: 2 times, each time 1 minute

- **Drop Test –Dynamic – Functional Load**
  Weight of test bag: 102 kg(225 lb.)
  Drop height: 152 mm(6 in.)

- **Drop Test Dynamic – Proof Load Weight of test bag: 136 kg (300 lb.)**
  Drop height: 152 mm(6 in.)

- **Swivel Test –Cyclic**
  Seat load: 113 kg (250 lb.)
  Cycles: 60,000 cycles when seat at highest position, and another 60,000 cycles when seat at lowest position.

- **Tilt Mechanism Test –Cyclic – Type I &II**
  Seat load: 102 kg (255 lb.)
  Cycles: 300,000 cycles

- **Seating Durability Tests – Cyclic –Impact Test-Cyclic**
  Test bag: 57 kg (125 lb.)
  Drop height :30 mm (1.2 in.) above the seat
  Cycles: 100,000 cycles

- **Seating Durability Tests – Cyclic – Front Corner Load Ease Test –Cyclic – off Center**
  Test load : 734 N (165 lbf.)
  Test points :two front corners of seat
  Cycles :20,000 cycles on each corner.

- **Stability Test -Rear Stability for type III**
  Apply only to chairs with backrests greater than 200mm
  Type III:
  Load the chair with 6 disks, apply a horizontal force to the highest disk. The location of the force application is 6mm(0.25in.) from the top of the disk.
  The force shall be:
  .F=0.1964(1195-H)Newton. H is the seat height in mm.
  .[F=1.1(47- H) pounds force.]. H is the seat height in inches.
  For chairs with seat height equal to or greater than 710mm(28.0 in.), a fixed force of 93N(20.9 ibf.) shall be applied.
  The chair shall not tip over.

- **Stability Test -Rear stability for type I and II**
  Apply only to chairs with backrests greater than 200mm.
  Load the chair with 13 disk(each 10kg),the chair shall not tip over.

- **Stability Test- Front stability**
  The chair is obstructed with a 13mm(½in.) obstruction to the chair casters/legs.A downward load of 600N(135lb) is centered 60mm (2.4 in.) from the seat front center edge. The seat shall withstand a 20N(4.5lbf.) horizontally from the front seat edge without tipping.

- **Arm strength Test Vertical-Static-Functional Load**
  Test load: 750N(169lbf.) at weakest point of arm with all adjustments set at normal use conditions.
  Loading period: 1 minute.

- **Arm Strength Test Vertical-Static - Proof Load**
  Test load:1125N(253 lbf.) at weakest point of arm with all adjustments set at normal use conditions.
  Loading Period: 1 minute

- **Arm Strength Test Horizontal - Static- Functional Load**
  Test load:445N(100lbf.)
  Loading period:1 minute



MODEL:Y-68





MODEL:Y-48





MODEL:Y-46





MODEL:Y-47





MODEL:Y-49W





MODEL:Y-13B



DISTINCTIVE TASTE

To take the lead with innovative inspiration and wisdom, firm and elegant appearances hide limitless intelligence; noble and graceful quality fully demonstrates the free nature.



MODEL:Y-11







MODEL:Y-45B



CREATE FASHIONABLE SPACE

Advanced design allows office business handling full of the sense of art. The elaborate production based on modern craft and skill and environmental-friendly materials are original.



MODEL:Y-45B-1





MODEL:Y-45W







MODEL:Y-25







MODEL:Y-15



How to make an office chair reach the American **ANSI/BIFMAX5.1-2011** Standard?

- **Arm strength Test Horizontal-Static-Proof Load**
  Test load:667N (150lbf.)
  Loading period:1 minute

- **Backrest Durability Test-Cyclic-Type I**
  Seat load:102kg (225lb.) secured in the center of the seat
  Back load: 445N (100 lbf.)
  Cycles: total 120,000 cycles.

- **Back Durability Test- Cyclic- Type II&III**
  Seat load:102kg (225lb.) secured in the center of the seat
  Back load:334N(75 lbf.)
  Cycles: total 120,000 cycles.

- **Caster/ Chair Base Durability Test For Pedestal Base Chair**
  Load:113kg(250 lb.)
  Cycles:2,000 cycles with 3 obstacles and 98,000 cycles over a smooth hard surface without obstacles.

- **Caster/Chair Base Durability Test for Chairs with Legs**
  No loss of service after 2,000 cycles over a hard surface with 2 obstacles and 98,000 cycles over a smooth hard surface without obstacles under a 113kg (250lbs.) load on the seat. Test stoke is 762mm(30in.) minimum. The caster should not separate under 22N (5 lbs.) pulling force in line with the caster stem after the cycling test.

- **Leg Strength Test - Front Load Functional Load**
  Load: a force of 334N(75 lbf.) is applied to each front leg individually for 1 minute.

- **Leg Strength Test – Front Load – Proof Load**
  Load:a force of 503 N(113 lbf.)is applied to each front leg individually for 1 minute

- **Leg Strength Test - Side Load - Functional Load**
  Load:a force of 334 N(75 lbf.)is applied to each front leg individually for 1 minute

- **Leg Strength Test-Side Load- Proof Load**
  Load:a force of 503 N(113 lbf.)is applied to each front leg individually for 1 minute

- **Footrest Static Load Test – Vertical – Functional Load**
  Test load: 445 N (100 lbf) for 1 minute

- **Footrest Static Load Test – Vertical – Proof Load**
  Test load: 1334 N (300 lbf) for 1 minute

- **Footrest Durability Test**
  Test load: 890 N (200 lbf)
  Cycles: 50,000 cycles

- **Arm Durability Test-Cyclic**
  Test load: 400 N (90 lbf) on each arm at 10° Angle
  Cycles: 60,000 cycles

- **Out Stop Tests for Chairs with Manually Adjustable Seat Depth**
  Place a 74 kg (163 lb) rigid mass in the center of the seat. Hole the seat at its most position. A Cable is attached to the most rigid point of the vertical center line of the seat. Hang a weight of 25 kg (55 lb) on the opposite end of the cable. Release the weight so it can drag the seat move forward rapidly and impact.

- **Tablet Arm Static Load Test**
  Test load:68kg (150 lb.) at apparent weakest pint for 1 minute
  The load applied once shall cause no sudden and major change in the structural integrity of the chair.After performing the test, the tablet arm must allow egress from the unit, other losses of serviceability are acceptable.

- **Tablet Arm Load Ease Test-Cyclic**
  Test load:343N(77 lbf.)
  Cycles:100,000 cycles

We are always Improving!



Every office chair is a
kind of energy





6615B-1 Low-Back Chair

专利号：ZL 2014 3 0530242.2



扶手上下升降
Up-and-down adjustment of armrest



腰垫上下调节
Up-and-down adjustment of waist pad



座椅角度调节
Adjustment of chair angle



可供选择的固定扶手
Optional fixed armrest





可供选择的金属脚
Optional metal feet



座椅角度调节开关
Swivel chair adjustable switch

6615B Low-Back Chair
专利号：ZL 2014 3 0530242.2



6615A Low-Back Chair
专利号：ZL 2014 3 0530242.2



6615A-1 Low-Back Chair
专利号：ZL 2014 3 0530242.2



6615A Low-Back Chair
专利号：ZL 2014 3 0530242.2







VOGUISH DESIGN

Requirement of the times, reflection of fashion, sensible, comfortable and elegant, fit to the human body, size and shape, design attention & put to complete standard.



» **6613W** Low-Back Chair
专利号：ZL 2013 3 0430611.6



» **6613W** Low-Back Chair
专利号：ZL 2013 3 0430611.6



6613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.



6613A-15 Low-Back Chair
专利号：ZL 2013 3 0430611.6



6613B-15 Low-Back Chair
专利号：ZL 2013 3 0430611.6





6613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.



6613B-A Low-Back Chair
专利号：ZL 2013 3 0430611.6



6613B Low-Back Chair
专利号：ZL 2013 3 0430611.6



6613W-3 Low-Back Chair
专利号：ZL 2013 3 0430590.8



6613B-3 Low-Back Chair
专利号：ZL 2013 3 0430590.8



6613 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
6613 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.



833A-SB





833A-RW



833A-SW



833A-RG



833A-SG



833B-R



833B-S



» **833A-RB** Low-Back Chair
专利号：ZL2012 3 0322717.X





832A-SG



832A-RB



832A-SB



832A-RW



832A-SW



832B-R



832B-S



» **832A-RG** Low-Back Chair
专利号：ZL201230322695.7

833 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
833 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.

832 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
832 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.







» **833A-1R** Low-Back Chair
专利号：ZL2012 3 0322717.X

» **833B-1S** Low-Back Chair
专利号：ZL2012 3 0322717.X







» **832A-1R** Low-Back Chair
专利号：ZL2012 3 0322695.7

» **832B-1S** Low-Back Chair
专利号：ZL2012 3 0322695.7



» **183W** Visitor Chair
专利号：ZL2012 3 0322716.5



183B





183G



183W





182W 182G



» **182B** Visitor Chair
专利号：ZL2012 3 0322716.5



188B-13 Visitor Chair
专利号：ZL 2013 3 0046826.2



188W-13 Visitor Chair
专利号：ZL 2014 3 0046826.2









189W-13 Visitor Chair
专利号：ZL 2014 3 0046826.2



189B-13 Visitor Chair
专利号：ZL 2014 3 0046826.2





190B-13 Visitor Chair
专利号：ZL 2014 3 0046826.2



190W-13 Visitor Chair
专利号：ZL 2014 3 0046826.2



188、189、190 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
188,189,190 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.



• 8899/6899 系列功能示意图
8899/6899 series function diagram





» **8899A** High-Back Chair
专利号：ZL2011 3 0120936.5



» **6899A-1** Low-Back Chair
专利号：ZL2011 3 0120936.5



8899 已获得美国 ANSI/BIFMA X5.1-2011 的国际授权认证，确保椅子的安全和耐用性能。
8899 is designed and certified to ANSI/BIFMA X5.1-2011 standards for durability and safety.





8898B-12B High-Back Chair
专利号：ZL2014 3 0047278.5





6898B-12 Low-Back Chair
专利号：ZL2014 3 0047278.5







889BB High-Back Chair
专利号：ZL2014 3 0047278.5



8898A High-Back Chair
专利号：ZL2014 3 0047278.5









» **8838-1** High-Back Chair
专利号：ZL2006 3 0128590.2



» **8838-1** High-Back Chair
专利号：ZL2006 3 0128590.2

» **8838** High-back chair
专利号：ZL2006 3 0128590.2



» **6838** Low-back chair
专利号：ZL2006 3 0128592.1





» **606A-13** High-Back Chal





» **306A-13** Low-Back Chair





» **603A-13** Low-Back Chair





» **603-13** Low-Back Chair



» **Y-63B** High-Back Chair



» **Y-63B** High-Back Chair





» **Y-63W** High-Back Chair





» **Y-65** High-Back Chair





» **Y-67** High-Back Chair





» **Y-60** High-Back Chair





» **Y-66** High-Back Chair





» **Y-31W** Low-Back Chair





» **Y-31B** Low-Back Chair





» **Y-10** Visitor Chair





» **Y-30** Low-Back Chair





» **Y-32W** Low-Back Chair





» **Y-32B** Low-Back Chair





» **Y-36** Low-Back Chair





» **Y-37** Low-Back Chair





» **Y-39W** Low-Back Chair





» **Y-39B** Low-Back Chair





» **Y-38** Low-Back Chair





» **Y-42** Low-Back Chair





» **Y-43** Low-Back Chair





» **Y-40W** Low-Back Chair





» **Y-40B** Low-Back Chair





» **Y-41W** Low-Back Chair





» **Y-41B** Low-Back Chair





» **301-13** Low-Back Chair





» **310-13** Low-Back Chair





» **311-13** Low-Back Chair





» **308-13** Low-Back Chair





» **302-13** Low-Back Chair





» **309-13** Low-Back Chair





» **6868** Low-back chair



» **8858G** High-back chair



» **8868** High-back chair





» **1134** Visitor chair



» **1134-1** Visitor chair



» **1135** Visitor chair



» **1135-1** Visitor chair



» **1632** Visitor chair
专利号：ZL2007 3 0146181.X



» **1638B** Visitor chair
专利号：ZL2007 3 0153141.8



» **1639B** Visitor chair









DELICATE 力臻完美 FOR PERFECTION

秋诗办公空间的设计：将“人，环境，思维”这一课题的研究从三维空间延伸到四维领域，让办公环境充分传达出工作者对生活的理解与需求。

office space design: extend the theme research "human, environment, thought" from three-dimensional space to four-dimensional space, allowing office environment delivering worker's understanding and demand to life.

Because of us
they worked enjoy ever after!







» **810-15** High-back chair





» **610-15** Low-back chair





» **110-15** Visitor Chair





» **811-15** High-back chair





» **611-15** Low-back chair





» **111-15** Visitor Chair





» **815-15** High-back chair





» **615-15** Low-back chair







» **115-15** Visitor Chair





» 614-15 Low-back chair



» 116-15 Visitor Chair







» 114-15 Visitor Chair









» 117-15 Visitor Chair



Fashionable decent modeling design, a series of different colors for choices.

Fine and abundant material, fashionable and harmonious color and fluent appearance all emanate elegant and quiet particularity.



187-13 Visitor chair
专利号：ZL 2014 3 0047277.0





185-13 Visitor chair
专利号：ZL 2014 3 0047277.0



186-13 Visitor chair
专利号：ZL 2014 3 0047277.0









801A-13 High-Back Chair
专利号：ZL2013 3 0127828.X





801-13 High-Back Chair
专利号：ZL2013 3 0127828.X



802A-13 High-Back Chair





802-13 High-Back Chair



803-13 High-Back Chair
专利号：ZL2013 3 0131360.1





803A-13 High-Back Chair
专利号：ZL2013 3 0131360.1



» **8213** High-Back Chair





» **1213** Visitor Chair





» **8213A** High-Back Chair



» **1213A** Visitor Chair



» **8212** High-Back Chair
专利号：ZL 2011 3 0110746.5





» **1212** Visitor Chair
专利号：ZL 2011 3 0110738.0





» **8168C** High-Back Chair





» **1168C** Visitor Chair





» **8197** High-Back Chair





» **1197** Visitor Chair





» **8197A** High-Back Chair



» **1197A** Visitor Chair



» **8166A** High-Back Chair



» **1166A** Visitor chair



» **8166** Low-back chair



» **1166** Visitor chair



» **8183** High-Back Chair



» **1183** Visitor Chair



» **8186** High-Back Chair



» **1186** Visitor Chair



» **8084-055** High-back chair



» **6085** Low-back chair



» **1116A** Visitor chair



» **1118A** Visitor chair

Fashionable decent modeling design, a series of different colors for choices.



» **6054A** Low-back chair



» **8091** High-back chair



» **6091** Low-back chair



» **1127** Visitor chair



» **6081A** High-back chair



» **1066A** Visitor chair



» **8095** High-back chair



» **1131** Visitor chair



» **8198B** High-back chair



» **8198** High-back chair



» **1198** Visitor chair



» **1109A** Visitor chair



» **1085** Visitor chair

我们一直在前进





可前后翻动的软性头枕，靠背椅背时，想追出转椅利落的外观，都显出轻盈神；当头枕翻向正面时，无论是休闲小憩，或是闭目冥想，都能给你头颈部舒适的承托。

Movable (forward and backward) upholster head rest and the backward back rest shape the clean outline of the swivel chair with its innovative spirit. When the head rest is moving forward, whenever it is in the leisure moment, or the meditation moment, it could give your head and neck the most comfortable support.



护臂采用耐磨、环保、不变色的高分子材料制造，时尚的塑形设计与木脚配合得浑然一体。既延长久保护椅脚脚沿，又体现时尚的装饰意味，一举两得。

The durable use, environment-friendly and color unchanged material combine withe fashion design and wooden feet perfectly. It not only can protect the forward chair feet in the long run, but also shows out the fashion decoration sense with versatile function.

» 813-15 High-back chair





» 113-15 Visitor chair







护脚采用耐磨、环保、不变色的高分子材料制造，时尚的造型设计与木脚配合得浑然一体，既延长了保护椅脚的寿命，又体现时尚的装饰意味，一举两得。

The durable use, environment-friendly and color unchanged material combine withe fashion design and wooden feet perfectly. It not only can protect the forleard chair feet in the long run, but also shows out the fashion decoration sense with versable function.

812-15 High-back chair





112-15 Visitor chair





807-13 High-back chair

专利号：ZL2013 3 0131359.9





805-13 High-back chair

专利号：ZL2013 3 0131350.8





804-13 High-back chair

专利号：ZL2013 3 0131357.X





806-13 High-back chair

专利号：ZL2013 3 0131349.5





808-13 High-back chair
专利号：ZL2013 3 0168320.4





809-13 High-back chair
专利号：ZL2013 3 0168317.2





8192 High-back chair



8191 High-back chair



8219A High-back chair
专利号：ZL2011 3 0120929.5





1053 皮 Visitor chair





8219 High-back chair
专利号：ZL 2011 3 0120929.5





1219 Visitor Chair







护脚采用耐磨、环保、不变色的高分子材料制造，时尚的造型设计与木脚配合得浑然一体，既延长了保护椅脚的时间，又体现时尚的装饰意味，一举两得。

The durable use, environment-friendly and color unchanged material combine withe fashion design and wooden feet perfectly. It not only can protect the forleard chair feet in the long run, but also shows out the fashion decoration sense with versable function.

812-15 High-back chair





112-15 Visitor chair





807-13 High-back chair

专利号：ZL2013 3 0131359.9





805-13 High-back chair

专利号：ZL2013 3 0131350.8





804-13 High-back chair

专利号：ZL2013 3 0131357.X





806-13 High-back chair

专利号：ZL2013 3 0131349.5





1191 Visitor Chair
专利号：ZL 2011 3 0110736.1





16191 Visitor Chair
专利号：ZL 2011 3 0110736.1





1189 Visitor Chair
专利号：ZL 2011 3 0120928.0





16189 Visitor Chair
专利号：ZL 2011 3 0120928.0





101-13 Visitor Chair





102-13 Visitor Chair





105-13 Visitor Chair





106-13 Visitor Chair
专利号：ZL 2013 3 0127830.7

